

5L4540033T000-00 - 5L4540033T000 PURAL POLYESTER R4003 - QUALICOAT P- 0414 PURPLE SM M TS

Revision nr.3 Dated 06/12/2018 Printed on 10/07/2019 Page n. 1 / 9 ΕN

POLVERI				
		Safety Data	Sheet	
	Ac	cording to Annex II to REACH - I		
SECTION 1. Identif	fication of the sub	stance/mixture and of	the company/undertaking	
1.1. Product identifier				
Code: Product name		5L4540033T000-00 5L4540033T000 PURAL POI TS	LYESTER R4003 - QUALICOAT P- 0414 I	PURPLE SM M
1.2. Relevant identified us	ses of the substance or n	nixture and uses advised agai	nst	
Intended use		Powder coating for industri	al application for the use of professiona	al users only
1.3. Details of the supplie	er of the safety data sheet	t		
Name Full address District and Country		EUROPOLVERI S.P.A. Via Galvani, 69 36066 Sandrigo ITALIA Tel. +39 0444750643	(VI)	
e-mail address of the co responsible for the Safe		Fax +39 0444750653 info@europolveri.it		
1.4. Emergency telephone	e number			
For urgent inquiries refe	er to	+39 0444750643		
SECTION 2. Hazar	ds identification			
2.1. Classification of the	substance or mixture			
However, since the proc	duct contains hazardous su	nt to the provisions set forth in Eubstances in concentrations such to (EU) Regulation 2015/830.	C Regulation 1272/2008 (CLP). n as to be declared in section no. 3, it requi	res a safety
Hazard classification an	d indication:			
2.2. Label elements				
Hazard labelling pursual	nt to EC Regulation 1272/2	008 (CLP) and subsequent ame	ndments and supplements.	
Hazard pictograms:				
Signal words:				
Hazard statements: EUH210	Safety data sheet availa	able on request.		
Precautionary statemen	.ts:			
2.3. Other hazards				
On the basis of available	e data, the product does no	t contain any PBT or vPvB in pe	rcentage greater than 0,1%.	

## SECTION 3. Composition/information on ingredients

@EPY 9.9.0 - SDS 1004.13



5L4540033T000-00 - 5L4540033T000 PURAL POLYESTER R4003 - QUALICOAT P- 0414 PURPLE SM M TS

#### SECTION 3. Composition/information on ingredients ..../>>

# 3.2. Mixtures

0011101			
Identification	x =	Conc. %	Classification 1272/2008 (CLP)
Saturated Poly	yester Resin		
CAS	-	58 ≤ x < 62	Substance with a community workplace exposure limit.
EC			
INDEX			
BARIUM SULF	ATE		
CAS	7727-43-7	12 ≤ x < 13,5	Substance with a community workplace exposure limit.
EC	231-784-4		
INDEX			
Reg. no.	01-21194912	274-35-XXX	

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## **SECTION 4. First aid measures**

### 4.1. Description of first aid measures

Not specifically necessary. Observance of good industrial hygiene is recommended.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

#### 5.2. Special hazards arising from the substance or mixture

#### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products. The product is combustible and, when the powder is released into the air in sufficient concentrations and in the presence of a source of ignition, it can create explosive mixtures with air. Fires may start or get worse by leakage of the solid product from the container, when it reaches high temperatures or through contact with sources of ignition.

#### 5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### **SECTION 6.** Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.



5L4540033T000-00 - 5L4540033T000 PURAL POLYESTER R4003 - QUALICOAT P- 0414 PURPLE SM M TS

#### SECTION 6. Accidental release measures .../>>

#### 6.3. Methods and material for containment and cleaning up

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available

## **SECTION 8. Exposure controls/personal protection**

#### 8.1. Control parameters

Regulatory References:

ESP	España	INSHT - Límites de exposición profesional para agentes químicos en España 2017
GBR	United Kingdom	EH40/2005 Workplace exposure limits
HRV	Hrvatska	NN13/09 - Ministarstvo gospodarstva, rada i poduzetništva
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
EU	OEL EU	Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2019

#### Saturated Polyester Resin

ΕN



5L4540033T000-00 - 5L4540033T000 PURAL POLYESTER R4003 - QUALICOAT P- 0414 PURPLE SM M TS

#### SECTION 8. Exposure controls/personal protection .../>>

				BARIU	<b>M SULFATE</b>				
Threshold Limit	Value								
Туре	Country	TWA/8h		STEL/15	min				
		mg/m3	ppm	mg/m3	ppm				
VLA	ESP	10		-					
WEL	GBR	4							
GVI	HRV	4				RESP			
GVI	HRV	10				INHAL			
VLEP	ITA	0,5							
OEL	EU	0,5							
TLV-ACGIH		5							
redicted no-eff	ect concentr	ation - PNE	2						
Normal value	in fresh water						115	mg/l	
Normal value	for fresh wate	r sediment					600,4	mg/kg	
Normal value	of STP micro	organisms					62,2	mg/l	
Normal value	for the terrest	rial compartr	nent				207,7	mg/kg	
ealth - Derived	no-effect lev	/el - DNEL /	DMEL						
	Effe	ects on consu	imers			Effects on w	orkers		
Route of expo	sure Acı	ite Aci	ute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	loca	al sys	temic	local	systemic	local	systemic	local	systemic
Oral					13000				
					mg/kg bw/d				
Inhalation					10				10
					mg/m3				mg/m3

#### Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for inert particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374). Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

Use a type P filtering facemask, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment (see standard EN 149).

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

### **SECTION 9.** Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	powder	
Colour	red	
Odour	odourless	
Odour threshold	Not available	
pH	Not available	
Melting point / freezing point	0 °C	
Initial boiling point	Not available	



5L4540033T000-00 - 5L4540033T000 PURAL POLYESTER R4003 - QUALICOAT P- 0414 PURPLE SM M TS

Revision nr.3 Dated 06/12/2018 Printed on 10/07/2019 Page n. 5 / 9

#### SECTION 9. Physical and chemical properties .../>>

Boiling range
Flash point
Evaporation Rate
Flammability of solids and gases
Lower inflammability limit
Upper inflammability limit
Lower explosive limit
Upper explosive limit
Vapour pressure
Vapour density
Relative density
Solubility
Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition temperature
Viscosity
Explosive properties
Oxidising properties

Not available Not applicable Not available Not available 20 g/mc Not available 20 g/mc Not available Not available Not available 1,50 IMMIXABLE WITH WATER Not available 480 °C Not available Not available Not available Not available

#### 9.2. Other information

Information not available

## **SECTION 10. Stability and reactivity**

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

>

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

The powders are potentially explosive when mixed with air.

#### 10.4. Conditions to avoid

Avoid environmental dust build-up.

#### 10.5. Incompatible materials

Information not available

#### 10.6. Hazardous decomposition products

Information not available

### **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

#### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure



5L4540033T000-00 - 5L4540033T000 PURAL POLYESTER R4003 - QUALICOAT P- 0414 PURPLE SM M TS

Revision nr.3 Dated 06/12/2018 Printed on 10/07/2019 Page n. 6/9

ΕN

## SECTION 11. Toxicological information ... / >>

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture: LD50 (Oral) of the mixture: LD50 (Dermal) of the mixture:

> **BARIUM SULFATE** LD50 (Oral) LD50 (Dermal)

Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)

> 5000 mg/kg Mouse > 2000 mg/kg

#### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

#### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

#### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

#### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

### **SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity

Information not available

#### 12.2. Persistence and degradability

**BARIUM SULFATE** Solubility in water Degradability: information not available

0,1 - 100 mg/l



5L4540033T000-00 - 5L4540033T000 PURAL POLYESTER R4003 - QUALICOAT P- 0414 PURPLE SM M TS

## SECTION 12. Ecological information ... / >>

#### 12.3. Bioaccumulative potential

Information not available

#### 12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects

Information not available

## **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number

Not applicable

#### 14.2. UN proper shipping name

Not applicable

#### 14.3. Transport hazard class(es)

Not applicable

#### 14.4. Packing group

Not applicable

#### 14.5. Environmental hazards

Not applicable

#### 14.6. Special precautions for user

Not applicable

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

## **SECTION 15. Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC:

None

ΕN



5L4540033T000-00 - 5L4540033T000 PURAL POLYESTER R4003 - QUALICOAT P- 0414 PURPLE SM M TS

#### SECTION 15. Regulatory information ... / >>

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 None

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: None

Substances subject to the Rotterdam Convention: None

Substances subject to the Stockholm Convention: None

Healthcare controls Information not available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

## **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

EUH210

Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).
- GENERAL BIBLIOGRAPHY
- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament



5L4540033T000-00 - 5L4540033T000 PURAL POLYESTER R4003 - QUALICOAT P- 0414 PURPLE SM M TS

#### SECTION 16. Other information ... / >>

- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parila 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 10. 10. guidaion (20) 20 11/110 (77. u
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified: 02 / 03 / 06 / 08 / 09 / 11 / 12 / 13 / 16.